



DragonFly Cobalt DAC + Preamp + Headphone Amp

- Plays all music files: MP3 to High-Res and MQA
- Compatible with Apple® and Windows® PCs
- Compatible with iOS devices (requires Apple Lightning to USB 3 Camera Adaptor)
- Compatible with Android devices (requires DragonTail or other USB Adaptor for Android Devices)
- Bit-perfect variable output drives headphones, powered speakers, or power amp
- Fixed output feeds preamp or receiver



	DragonFly Cobalt
Output	2,1 volts
DAC Chip	ESS ES9038Q2M DAC chip with minimum-phase slow roll-off filter for more natural sound
Volume Control	64-Bit Bit-Perfect Digital Volume Control
Desktop Compatibility	Windows 7 and later; Apple 10.6.8 and later; Linux (no tech support provided)
Mobile Compatibility	Apple iOS 5 and later; Android 5,0 and later
Included Adaptor	DragonTail A to C Adaptor
Accessories	Protective Endcap, Leatherette Pouch
Dimensions	57mm (l) x 19mm (w) x 12mm (h)
Euro Retail: 199,95	

USB Extenders and Adaptors

DragonTail USB Extenders feature 5% Silver Solid Conductors and are Direction-Controlled for reduced RF noise.



DragonTail USB A 2.0 Extender
Female USB A to Male A
Euro Retail: 29,95




DragonTail USB A to Micro Adaptor
Female USB A to Male Micro
Euro Retail: 29,95



DragonTail A to C Adaptor
(included with DragonFly Cobalt)
Euro Retail: 29,95

JitterBug FMJ USB 2.0 Noise Filter (Data & Power)

- Enables more spacious and compelling sound
- Dual Discrete Noise-Dissipation Circuits reduce all forms of internal noise in both the sending and receiving electronics
- Full Metal Jacket (FMJ) with hinged Carbon-Loaded Noise-Dissipation input cover protects against external noise
- Reduces jitter and packet errors
- Use one JitterBug in series with almost any USB DAC, including DragonFlies Black and Red; experiment with DragonFly Cobalt
- For an additional improvement, use a second JitterBug in parallel—always desirable with DragonFly Cobalt



Euro Retail: 69,00

AC Power Conditioners

Niagara and PowerQuest:

Low-Z Power | Noise-Dissipation Systems

Performance begins with power, and the quality of that power plays a significant role in any audio/video system's ability to suspend disbelief — to seduce, thrill, captivate, and transport an audience.

AudioQuest's Niagara and PowerQuest models are distinct among all power products — isolation transformers, AC regenerators, battery back-up devices, re-clocking devices, ground boxes, and others — in their unrivaled ability to work evenly, or *linearly*, across the widest possible range of induced noise frequencies.


Additionally, PowerQuest 707 and Niagaras 3000, 5000, and 7000 feature Transient Power Correction, which supplies a current reservoir to greatly bolster the performance of any power amplifier.



AC Power Conditioners: Power Bars

All PowerQuest Power Bars share the following features:

- Linear Noise-Dissipation Technology
- Extreme Voltage Shutdown



	PowerQuest 2	PowerQuest 3
Euro Retail	269,00	399,00
Power Cable	Attached PQ-316 / 2m Direction-Controlled	
Non-Sacrificial Surge Protection	Yes	
Outlets	6 total: (4) Source (2) High-Current	8 total: (6) Source (2) High-Current
USB Charging Ports	2x USB-A	4x USB-A
Signal Line Protection	No	Network (10/100)
Maximum RMS Current	10 Amps (RMS) @ 220 - 240V	
Dimensions	393mm L x 80mm W x 153mm H (Includes wall-mounting holes and detachable base)	393mm L x 80mm W x 188mm H (Includes wall-mounting holes and detachable base)
Weight	2,2 kg	2,5 kg

For more information on AudioQuest power products, visit <https://www.audioquest.com/ac-power>
Download our Power Demystified paper at <https://www.audioquest.com/theory-education>


AC Power Conditioners: Component Pieces

All PowerQuest Component Pieces share the following features:

- Linear Noise-Dissipation Technology
- Non-Sacrificial Surge Protection
- Extreme Voltage Shutdown

All Niagaras share the following features:

- Linear Noise-Dissipation Technology
- Patented Ground-Noise Dissipation
- Directionally Controlled Wiring & Inductors
- High-Tension AC Inlets and Outlets
- Non-Sacrificial Surge Protection
- Extreme Voltage Shutdown



	PowerQuest 303	PowerQuest 505	PowerQuest 707	Niagara 1200	Niagara 3000	Niagara 5000	Niagara 7000
Euro Retail	599,00	799,00	1.299,00	1.299,00	3.995,00	5.995,00	10.995,00
Power Cable	Detachable PQ-416 / 2m Direction-Controlled	Detachable PQ-716 / 2m Direction-Controlled ZERO-Tech RF/ND-Tech		Not Included A direction-controlled cable is required to maximize the Niagara's performance			
Transient Power Correction	No	45 amps peak (up to 25mS)		No	55 amps peak (up to 25mS)	80 amps peak (up to 25mS)	
DBS Symmetrical Power Isolation Transformer	No			No			Yes
Outlets	7 total: (4) Source (3) High-Current			7 total: (5) Source (2) High-Current		12 total: (8) Source (4) High-Current	
Maximum RMS Current	10 Amps (RMS) @ 220 - 240V			10 Amps (RMS) @ 220 - 240V		16 Amps (RMS) @ 220 - 240V	
Dimensions	43cm W x 8.6 cm H x 34cm D (9cm w/ feet attached); (2RU mount kit included)		43cm W x 8.6cm H x 34cm D (9.4cm w/ feet attached); (2RU mount kit included)	493mm W x 81mm H x 190mm D	445mm W x 88mm H x 386mm D (2-RU rack mount kit included)	445mm W x 133mm H x 437mm D (3-RU rack mount kit on request)	445mm W x 133mm H x 437mm D (3-RU rack mount kit on request)
Weight	4,65 kg	4,9 kg	7,6 kg	8,2 kg	11,3 kg	17,2 kg	39 kg

AC Power Cables: NRG Series

NRG AC cables available in Installer 5-Packs, page 58.

C5
2,5A Maximum RMS Capacity @ 230VAC 50Hz

C7
2,5A Maximum RMS Capacity @ 230VAC 50Hz



C13
10A Maximum RMS Capacity @ 230VAC 50Hz



NRG-Y2 and NRG-Z2 cables use a 2-pole C7 connector—and yet feature a 3-prong wall plug. The additional ground connection is necessary to enable ZERO-Tech, and to maximize RF-Noise Dissipation.



Model	NRG-X2	NRG-Y2	NRG-Z2	NRG-X3	NRG-Y3	NRG-Z3
Metal	Semi-Solid Concentric LGC		Semi-Solid Concentric PSC+	Semi-Solid Concentric LGC		Semi-Solid Concentric PSC+
Gauge	1,04mm ² (2,5 Amp @ 220-240V)			1,31mm ² (C13 Plug: 10 Amp @ 220-240v, C5 Plug: 2,5 amps @ 220-240v)	2,08mm ² (C13 Plug: 10 Amp @ 220-240v)	2,08mm ² (10 Amp @ 220-240v)
Technology	-	ZERO Tech (No Characteristic Impedance)		-	ZERO Tech (No Characteristic Impedance)	ZERO Tech (No Characteristic Impedance); Patented RF/ND-Tech
Jacket	Black PVC with Red Stripes	Dark Gray/Black Braid	Dark Red/Black Braid	Black PVC with Red Stripes	Dark Gray/Black Braid	Dark Red/Black Braid
Terminations	Cold-Welded Connectors					
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
1m	74,95	134,95	209,00	89,95	159,95	259,00
2m	89,95	159,95	269,00	109,95	199,95	359,00
3m	104,95	184,95	329,00	129,95	239,95	459,00
4,5m	129,95	-	-	159,95	-	-
6m	149,95	-	-	189,95	-	-




C17
For components that use the ungrounded C17 connector, please use AQ cables with a C13/C15 connector. The grounded male plug is necessary to make use of our Noise-Dissipation System.

Note: NRG-X3 with C5 connector is available in 1m, 2m & 3m only

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

AC Power Cables: Wind Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.






Wind Series Plugs



Wind XTRM Plugs Built From Storm-Level Components

XTRM cables have upgraded plugs equivalent in quality to the Storm Series plugs.

Model	Monsoon	Monsoon XTRM	Blizzard ● 72v DBS	Blizzard XTRM ● 72v DBS	Silver Cloud ● 72v DBS	Silver Cloud XTRM ● 72v DBS
Plug Type	Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers	Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers	Direct-Gold Plated Molded	Hanging-Silver over Red and Beryllium Coppers
Metal	Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) and Long-Grain Copper (LGC)		Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+)		Semi-Solid True-Concentric Perfect-Surface Silver (PSS) and Perfect-Surface Copper+ (PSC+)	
Gauge	3,31mm ²					
Technology	ZERO-Tech (No Characteristic Impedance) for Uncompressed Current Transfer; RF/ND-Tech					
Jacket	Dark Blue/Black Braid 		Silver/Black Braid 		Black/Black Braid 	
Terminations	Direct-Gold and Silver Plated; Cold-Welded Connectors					
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
1m	459,00	809,00	769,00	1.119,00	2.149,00	2.499,00
2m	619,00	969,00	989,00	1.339,00	3.749,00	4.099,00
3m	779,00	1.129,00	1.209,00	1.559,00	5.349,00	5.699,00
Other prepared lengths use formula:	-	160,00/m + 649,00	-	220,00/m + 899,00	-	1.600,00/m + 899,00

Mistral AC Power Bulk Cable

Metal: Semi-Solid True-Concentric Perfect-Surface Copper+ (PSC+) and Long-Grain Copper (LGC)

Gauge: 3,31mm²

Technology: RF/ND-Tech

Jacket: Dark Gray/Light Gray PVC

Terminations: Mistral AC Power Plugs

50m Spool

Retail: 130,00/m



Mistral AC Power Plugs

Sold separately.



Mistral Wall Plug
Retail: 149,00



Mistral IEC C-13 Plug
Retail: 149,00



Mistral IEC C-19 Plug
Retail: 149,00

AC Power Cables: Storm Series

Never assume which of these is required for a component or power conditioner. Some manufacturers prefer the performance of one IEC inlet type over another—even when their circuit's current draw is minimal.

C13 or C15
10 Amp Maximum RMS Capacity @ 230VAC 50Hz













C19
16 Maximum RMS Capacity @ 230VAC 50Hz







Plugs for Storm Series

High (Variable) Current AC Power Cables - Optimized for use with AC power conditioners/regenerators, power amplifiers, and any components that contain a built-in power amplifier, including AV receivers, powered speakers, and powered subwoofers.

Model	 Thunder ● 72v DBS	 Tornado ● 72v DBS	 Hurricane ● 72v DBS	 FireBird ● 72v DBS	 Dragon ● 72v DBS
Conductor Metal	Solid Perfect-Surface Copper+ (PSC+) plus Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS) plus Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)
RF Drain Metal	Solid 6% Silver		Solid Perfect-Surface Silver (PSS)		
Technology	ZERO-Tech (No Characteristic Impedance) for Uncompressed Current Transfer; RF/ND-Tech				
Jacket	Brown/Black Braid 	Silver/Black Braid 	Dark Blue/Black Braid 	Dark Red/Black Braid 	Black/Black Braid 
Termination and Gauge	Hanging-Silver over Red and Beryllium Copper - 4,17mm ² Line and Neutral - 3,31mm ² Ground				
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
1m	1.099,00	1.499,00	1.999,00	3.699,00	5.899,00
2m	1.349,00	1.899,00	2.899,00	6.299,00	10.699,00
3m	1.599,00	2.299,00	3.799,00	8.999,00	15.499,00
Other prepared lengths use formula:	250,00/m + 849,00	400,00/m + 1.099,00	900,00/m + 1.099,00	2.600,00/m + 1.099,00	4.800,00/m + 1.099,00


Constant-Current (Source) AC Power Cables - Optimized for use with audio/video source components, which have a constant or "fixed" current draw.

Model	-	 Tornado ● 72v DBS	 Hurricane ● 72v DBS	 FireBird ● 72v DBS	 Dragon ● 72v DBS
Conductor Metal	-	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS)	
RF Drain Metal	-	Solid 6% Silver		Solid Perfect-Surface Silver (PSS)	
Termination and Gauge	-	Hanging-Silver over Red and Beryllium Copper - 1,31mm ² Line, Neutral and Ground			
Length	-	Euro Retail	Euro Retail	Euro Retail	Euro Retail
1m	-	1.199,00	1.539,00	3.099,00	4.699,00
2m	-	1.399,00	2.079,00	5.199,00	8.399,00
3m	-	1.599,00	2.619,00	7.299,00	12.099,00
Other prepared lengths use formula:	-	200,00/m + 999,00	540,00/m + 999,00	2.100,00/m + 999,00	3.700,00/m + 999,00

AC Power Accessories



IEC90°/1
Adaptor Bends in
Direction of 1 Center
Retail: 22,95



IEC90°/2
Adaptor Bends in
Direction of 2 Outer Pins
Retail: 22,95

Female to Male IEC C-13 Adaptors

Premium Single-Piece
Metal Conductors from
Input to All Outputs
Preserve Advantages
of Superior AudioQuest
NRG Series AC Cables.



C7 90° Adaptor Kit

- Provides 90° bends for C7 power connections
 - Also connects for double bends
 - Non-polarized for maximum flexibility
- Package contains:
- 1 x "E" adaptor
 - 1 x "U" adaptor

Retail: 45,90

**C7 90° Adaptors also available in
Installer 5-Packs, page 60.**





Fog Lifters

Reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)



Set of 8
Retail: 159,00

Speaker Cable Applications



Mythical Creature & Folk Hero Termination Options: Bananas or Spades?

Amplifier-End Connector:


Choice of 1000 Series Multi-Spade, Banana, U-Spade, or V-Spade (Silver only)




Insulated (compliant) binding posts may not allow for 2 sets of connectors.

Often, the choice between terminating speaker cables with spade lugs or banana plugs will come down to personal preference. However, today's EU-compliant isolated binding posts are being used on more power amplifiers than ever before. This sometimes makes it difficult, if not impossible, to use a banana connector. Further, given the girth and weight of our Mythical Creature Series speaker cables, a spade may be better capable of fully supporting the cable. This is particularly a concern with binding posts that do not allow a banana connector to fully seat into the post.


Further, the EU-compliant posts will neither accept our V-Spade nor allow our Multi-Spade to be fully seated. For these applications (or when you're not certain), **we highly recommend the U-Spade**, as it can accommodate any binding post. The V-Spade is a specialty spade connector that works well with large wingnut binding posts (such as the Mundorf), as it allows extra clearance.




Banana Dimensions (mm)



Multi-Spade Dimensions (mm)



U-Spade Dimensions (mm)



V-Spade Dimensions (mm)

Speaker-End Connector:

Choice of 1000-Series Spade or Banana (Silver only)

Here we typically recommend the U-Spade or banana connector. However, even though there is less weight and pressure on this side of the cable (particularly for BiWire sets), it is nevertheless important to note the binding post's design. If a banana connector cannot seat all the way into the binding post, we recommend one of our spade connectors.

How to Order Prepared Speaker Cables

First please specify type of connector (banana or appropriate spade), then the finish of connector (silver*).




(*or gold where applicable)

Pair prices shown. Also available in singles (i.e. for center channel, subwoofer, or mono) at half pair price.

When ordering any factory-terminated speaker cable, please include the required elements shown in the examples below:

Qty.	Pair or Single	Length	Model	FR/BWC/SBW	Amplifier Termination	Speaker Termination	Silver or Gold
1	Pair	3m	Rocket 88	FR	Spade	Banana	Silver
1	Single	2m	William Tell	COMBO	U-Spade	Banana	N/A
1	Single	3m	Rocket 44	SBW	Spade	Banana	Gold

Speaker Cables: Q2 and Type Series (5, 9, Type 9+DBS)




Model	Q2	Type 5	Type 9	Type 9+DBS ● 72v DBS
Metal	Concentric Long-Grain Copper (LGC)	Solid PSC+ Sonic-Signature Conductors and Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+)	
Gauge	1,65mm ²	1,65mm ²	1,65mm ²	1,65mm ²
Geometry	Low-Inductance Twisted-Pair		Star-Quad	
Noise-Dissipation	No	Carbon-Based Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	
Jacket	Prepared: Black PVC Bulk: White or Black PVC	Prepared: Brown/Black Braid Bulk: Red Striped PVC	Red/Black Braid	
Plugs	Prepared: SureGrip 100 (Silver) Banana Bulk: SureGrip 100 (Silver or Gold) Banana	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	500 Series (Silver or Gold) Choice of Multi-Spade or Banana	1000 Series (Silver) Choice of Multi-Spade or Banana
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail	Euro Retail
2m Pair	-	569,00	789,00	1.239,00
2,5m Pair	-	599,00	849,00	1.299,00
3m Pair	329,00	629,00	909,00	1.359,00
4m Pair	-	689,00	1.029,00	1.479,00
Other prepared lengths use formula (per pair)	-	60,00/m + 449,00	120,00/m + 549,00	120,00/m + 999,00
Bulk Cables (on spools)	Euro Retail	Euro Retail	Euro Retail	Euro Retail
50m	-	-	-	-
100m	16,50/m	30,00/m	-	-

2024 Maio

Speaker Cables: Rocket Series

Please Specify Termination




Imacustica
desde 1988

audioquest.

Model	Rocket 11	Rocket 22	Rocket 33	Rocket 44	Rocket 88 72v DBS
Application Options	Full-Range and Single-BiWire	Full-Range, Single-BiWire, REL and Optimized for Naim			
Metal	Semi-Solid Concentric Long-Grain Copper (LGC)	Semi-Solid Concentric PSC and LGC	Solid PSC and LGC	Solid PSC+ and PSC	Solid PSC+
Gauge	2,08mm ²	3,31mm ²	2,08mm ²	2,63mm ²	
Geometry	Double Spiral-Pair		Double Star-Quad		
Dielectric	PVC		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation	No		Carbon-Based Noise-Dissipation		
Jacket	Black or White PVC with Grey stripes	Black or White PVC with Blue stripes	Red/Black Braid or PVC	Silver/Black Braid or PVC	Green/Black Braid or PVC
Plugs	SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana		SureGrip 300 (Silver or Gold) Choice of Multi-Spade or Banana	500 Series (Silver or Gold) Choice of Multi-Spade or Banana	
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
2m Pair	379,00	499,00	629,00	799,00	1.219,00
2,5m Pair	399,00	549,00	699,00	899,00	1.349,00
3m Pair	419,00	599,00	769,00	999,00	1.479,00
4m Pair	459,00	699,00	909,00	1.199,00	1.739,00
Other prepared lengths use formula (per pair)	40,00/m + 299,00	100,00/m + 299,00	140,00/m + 349,00	200,00/m + 399,00	260,00/m + 699,00
Bulk Cables (on spools)	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
50m	20,00/m	50,00/m	70,00/m	100,00/m	130,00/m
100m	20,00/m	50,00/m	70,00/m	-	-

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

Speaker Cables: Robin Hood (Folk Heroes)



Model	Robin Hood ZERO ● 72v DBS	Robin Hood BASS ● 72v DBS	Robin Hood ZERO BiWire COMBO (ZERO + BASS) ● 72v DBS	Robin Hood SILVER ● 72v DBS	Robin Hood SILVER BiWire COMBO (SILVER + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)		Refer to Specs for ZERO and BASS	Solid PSS Sonic-Signature Conductors and PSC+	Refer to Specs for SILVER and BASS
Gauge	1,65mm ²			1,65mm ²	
Geometry	ZERO-Tech (No Characteristic Impedance)			ZERO-Tech (No Characteristic Impedance)	
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech		Multi-Layer Carbon-Based Noise-Dissipation	
Jacket	Dark Green/Black Braid	Black Braid		Light Gray/Black Braid	
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)		Full-Range, or combined with BASS to form a BiWire COMBO	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade				
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
2m Pair	1.899,00	1.899,00	3.799,00	6.399,00	8.299,00
2,5m Pair	2.099,00	2.099,00	4.199,00	7.699,00	9.799,00
3m Pair	2.299,00	2.299,00	4.599,00	8.999,00	11.299,00
4m Pair	2.699,00	2.699,00	5.399,00	11.599,00	14.299,00
Other prepared lengths use formula (per pair)	400,00/m + 1.099,00	400,00/m + 1.099,00	800,00/m + 2.199,00	2.600,00/m + 1.199,00	3.000,00/m + 2.299,00

Speaker Cables: William Tell (Folk Heroes)



Model	William Tell ZERO ● 72v DBS	William Tell BASS ● 72v DBS	William Tell ZERO BiWire COMBO (ZERO + BASS) ● 72v DBS	William Tell SILVER ● 72v DBS	William Tell SILVER BiWire COMBO (SILVER + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)	Solid PSC+ Sonic-Signature Conductors and LGC	Refer to Specs for ZERO and BASS	Solid PSS Sonic-Signature Conductors and PSC+	Refer to Specs for SILVER and BASS
Gauge	2,62mm ²			2,62mm ²	
Geometry	ZERO-Tech (No Characteristic Impedance)			ZERO-Tech (No Characteristic Impedance)	
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech		Multi-Layer Carbon-Based Noise-Dissipation	
Jacket	Dark Red/Black Braid	Black Braid		Silver/Black Braid	
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	Full-Range, or BiWire COMBO (when combined with BASS cable)		
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade				
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
2m Pair	3.099,00	2.699,00	5.799,00	8.199,00	10.899,00
2,5m Pair	3.499,00	2.999,00	6.499,00	9.849,00	12.849,00
3m Pair	3.899,00	3.299,00	7.199,00	11.499,00	14.799,00
4m Pair	4.699,00	3.899,00	8.599,00	14.799,00	18.699,00
Other prepared lengths use formula (per pair)	800,00/m + 1.499,00	600,00/m + 1.499,00	1.400,00/m + 2.999,00	3.300,00/m + 1.599,00	3.900,00/m + 3.099,00

Speaker Cables: ThunderBird (Mythical Creatures)



Model	ThunderBird ZERO ● 72v DBS	ThunderBird BASS ● 72v DBS	ThunderBird ZERO BiWire COMBO (ZERO + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)	Solid PSC+ Sonic-Signature Conductors and LGC	Refer to Specs for ZERO and BASS
Gauge	5,26mm ²		
Geometry	ZERO-Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	
Jacket	Blue/Black Braid		
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade		
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail
2m Pair	5.300,00	4.300,00	9.600,00
2,5m Pair	6.050,00	4.800,00	10.850,00
3m Pair	6.800,00	5.300,00	12.100,00
4m Pair	8.300,00	6.300,00	14.600,00
Other prepared lengths use formula (per pair)	1.500,00/m + 2.300,00	1.000,00/m + 2.300,00	2.500,00/m + 4.600,00

2024 Maio

Speaker Cables: FireBird (Mythical Creatures)



Imacustica
desde 1988

audioquest.

Model	FireBird ZERO ● 72v DBS	FireBird BASS ● 72v DBS	FireBird BiWire COMBO (ZERO + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+)		
Gauge	10 AWG		
Geometry	ZERO-Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	Refer to Specs for ZERO and BASS
Jacket	Dark Red/Black Braid		
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade		
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail
2m Pair	15.500,00	11.500,00	27.000,00
2,5m Pair	18.800,00	13.800,00	32.600,00
3m Pair	22.100,00	16.100,00	38.200,00
4m Pair	28.700,00	20.700,00	49.400,00
Other prepared lengths use formula (per pair)	6.600,00/m + 2.300,00	4.600,00/m + 2.300,00	11.200,00/m + 4.600,00

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

2024 Maio

Speaker Cables: Dragon (Mythical Creatures)

ZERO Inside View



BASS Inside View



Imacustica
desde 1988

audioquest.

Model	Dragon ZERO ● 72v DBS	Dragon BASS ● 72v DBS	Dragon BiWire COMBO (ZERO + BASS) ● 72v DBS
Metal	Solid Perfect-Surface Silver (PSS) Sonic-Signature Conductors and Perfect-Surface Copper+ (PSC+)		
Gauge	10 AWG		
Geometry	ZERO-Tech (No Characteristic Impedance)		
Noise-Dissipation	Multi-Layer Carbon-Based Noise-Dissipation	RF/ND-Tech	Refer to Specs for ZERO and BASS
Jacket	Black Braid		
Application Options	Full-Range, or BiWire COMBO (when combined with BASS cable)	BiWire COMBO (when combined with ZERO cable)	
Plug Options (1000 Series, Silver)	AMP-Side: Choice of U-Spade (recommended default), Banana, Multi-Spade, or V-Spade / SPEAKER-Side: Choice of U-Spade (recommended default), Banana, or Multi-Spade		
Prepared Lengths	Euro Retail	Euro Retail	Euro Retail
2m Pair	28.700,00	22.100,00	50.800,00
2,5m Pair	35.300,00	27.050,00	62.350,00
3m Pair	41.900,00	32.000,00	73.900,00
4m Pair	55.100,00	41.900,00	97.000,00
Other prepared lengths use formula (per pair)	13.200,00/m + 2.300,00	9.900,00/m + 2.300,00	23.100,00/m + 4.600,00


Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.

2024 Maio

Speaker Cable Accessories

Bare Naked BiWire Jumpers

Solid PSC+ conductors offer dramatically superior performance to stamped jumpers.



Set of 4 (8.9 cm each)
Retail: 49,95

ThunderBird and Dragon BiWire Jumpers

Direction-Controlled Solid Perfect-Surface Copper+ (PSC+) Perfect-Surface Silver (PSS) and Carbon-Loaded Insulation. Available in Spade-Spade, Spade-Banana, Banana-Spade, and Banana-Banana.



ThunderBird (PSC+) uses Hanging-Silver 500 Series Bananas or Spades.

Set of 4 (20 cm each)
Retail: 349,00



Dragon (PSS) uses Hanging-Silver 1000 Series Bananas or Spades.

Set of 4 (20cm each)
Retail: 749,00

Fog Lifters

Reduces the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)



Set of 8
Retail: 159,00

Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts. Fits 11,1 mm and 12,7mm binding posts.




Retail: 19,95

Using BiWire Jumpers with Full-Range Cables on BiWire Capable Speakers


3-Way or Panel-Hybrid Speaker

Please connect amp. directly to the critical midrange and tweeter Treble input, and then jumper down to the Bass input.



2-Way Speaker























To maintain the speaker design's delicate midrange/tweeter relationship, please connect signal to Treble (+) and Bass (-).



Audio Interconnect Cables: Bridges & Falls

Tower and Golden Gate also available in Installer 5-Packs, page 60.



3,5mm Male Mini							
2-Male RCA							
3,5mm Female Mini							
5 Pin DIN							
Model	Tower	Evergreen	Golden Gate	Big Sur	Sydney	Yosemite ● 72v DBS	Angel ● 72v DBS
Metal	Solid Long-Grain Copper (LGC)		Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)			Solid Perfect-Surface Silver (PSS)
Geometry	Asymmetrical Double-Balanced (Lower Impedance on Ground, Same Quality + and - Conductors)						
Dielectric	Foamed-Polyethylene				Polyethylene Air-Tubes		FEP Air-Tubes
Noise-Dissipation	Metal-Layer Noise-Dissipation					Carbon-Based Noise-Dissipation	
Jacket	Black with White Stripes PVC	Green/Black Braid	Red/Black Braid	Brown/Black Braid	Dark Gray/Black Braid	Green/Black Braid	Silver/Black Braid
Termination	Cold-Welded, Gold-Plated			Cold-Welded, Gold-Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Purple Copper	Cold-Welded, Direct-Silver Plated Pure Red Copper	
Application							
3,5mm Male Mini - 2-Male RCA				Yes			
2-Male RCA - 2-Male RCA				Yes			
3,5mm Male Mini - 3,5mm Male Mini				Yes			
3,5mm Male Mini - 3,5mm Female Mini	3m and 5m Only	No	2m and 5m Only	No	No	Yes	
3,5mm Male Mini - 5 Pin DIN						Yes	
5 Pin DIN - 5 Pin DIN						Yes	
5 Pin DIN - 2-Male RCA						Yes	
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
0,6m	45,95	79,00	119,00	159,00	249,00	469,00	999,00
1m	49,95	89,00	129,00	169,00	279,00	519,00	1.199,00
1,5m	54,95	99,00	139,00	185,00	319,00	579,00	1.449,00
2m	59,95	109,00	149,00	199,00	359,00	639,00	1.699,00
3m	69,95	119,00	169,00	229,00	439,00	759,00	2.199,00
5m	89,95	149,00	219,00	289,00	599,00	999,00	3.199,00
8m	119,95	209,00	279,00	379,00	839,00	1.359,00	4.699,00
12m	159,95	279,00	369,00	499,00	1.159,00	1.839,00	6.699,00
16m	199,95	349,00	459,00	619,00	1.479,00	2.319,00	8.699,00
20m	239,95	419,00	549,00	739,00	1.799,00	2.799,00	10.699,00
Other prepared lengths use formula:	-	-	-	-	-	120,00/m + 399,00	500,00/m + 699,00

Audio Interconnect Cables: Rivers & Mythical Horses

In order to preserve ZERO-Tech's complete isolation between signal conductors, a Double-DBS pack is included for Pegasus XLR cables.



Model	Chicago	Red River		Mackenzie		Yukon		Black Beauty*		Pegasus*		
		RCA	XLR	RCA	XLR	RCA	XLR	RCA	XLR	RCA 72v DBS	XLR Double 72v DBS	
Metal	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)		Solid Perfect-Surface Copper+ (PSC+)								
Technology	N/A							ZERO-Tech (No Characteristic Impedance)				
Ground Reference	All Cables Have Separate Ground-Reference Conductors Plus One Signal Conductor for RCA and Two for XLR											
Dielectric	Hard-Cell Foamed Polyethylene					Polyethylene Air-Tubes		Hard-Cell Foamed Polyethylene		Polypropylene Air-Tubes		
Noise-Dissipation	Metal-Layer			Carbon Mesh-Network				ZERO-Tech + Graphene/Carbon		72v DBS + ZERO-Tech Graphene/Carbon		
Jacket	Green/Black Braid	Red/Black Braid		Brown/Black Braid		Black/Dark Gray Braid		Black/Black Braid		Brown/Black Braid		
Plug Barrels	N/A											
Cold-Welded Plugs	Gold-Plated			Hanging-Silver over Purple Copper				Copper-Plated RF-Draining				
Length (Pair)	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	
0,5m	129,00	219,00	279,00	329,00	399,00	469,00	549,00	-	-	-	-	
0,6m	-	-	-	-	-	-	-	779,00	949,00	1.539,00	1.859,00	
0,75m	134,00	229,00	289,00	344,00	414,00	504,00	594,00	-	-	-	-	
1m	139,00	239,00	299,00	359,00	429,00	539,00	639,00	869,00	1.089,00	1.699,00	2.099,00	
1,5m	149,00	259,00	319,00	389,00	459,00	609,00	729,00	979,00	1.259,00	1.899,00	2.399,00	
2m	159,00	279,00	339,00	419,00	489,00	679,00	819,00	1.089,00	1.429,00	2.099,00	2.699,00	
3m	179,00	319,00	379,00	479,00	549,00	819,00	999,00	1.309,00	1.769,00	2.499,00	3.299,00	
4m	199,00	359,00	419,00	539,00	609,00	959,00	1.179,00	1.529,00	2.109,00	2.899,00	3.899,00	
5m	219,00	399,00	459,00	599,00	669,00	1.099,00	1.359,00	1.749,00	2.449,00	3.299,00	4.499,00	
6m	239,00	439,00	499,00	659,00	729,00	1.239,00	1.539,00	1.969,00	2.789,00	3.699,00	5.099,00	
For longer lengths, please use formula:	20,00/pair m + 119,00/pair	40,00/pair m + 199,00/pair	40,00/pair m + 259,00/pair	60,00/pair m + 299,00/pair	60,00/pair m + 369,00/pair	140,00/pair m + 399,00/pair	180,00/pair m + 459,00/pair	220,00/pair m + 649,00/pair	340,00/pair m + 749,00/pair	400,00/pair m + 1.299,00/pair	600,00/pair m + 1.499,00/pair	


Bulk Cables	Chicago	Red River	Mackenzie
Euro Retail per metre	10,00 (100m spool)	20,00 (100m spool)	30,00m (50m Spool)

Bulk Chicago, Red River, and Mackenzie cables available braided or CL3/FT4 PVC. See page 58.

*ZERO-Tech Cables do not work as turntable cables with moving coil cartridges.

Audio Interconnect Cables: Mythical Creatures

In order to preserve ZERO-Tech's complete isolation between signal conductors, a Double-DBS pack is included for XLR cables.



Model	ThunderBird*		FireBird*		Dragon*	
	RCA 72v DBS	XLR Double 72v DBS	RCA 72v DBS	XLR Double 72v DBS	RCA 72v DBS	XLR Double 72v DBS
Metal	Solid Perfect-Surface Copper+ (PSC+)		Solid Perfect-Surface Silver (PSS)			
Technology	ZERO-Tech (No Characteristic Impedance), ZERO-Tech Cables do not work as turntable cables with moving coil cartridges					
Dielectric	FEP Air-Tubes					
Noise-Dissipation	ZERO-Tech + 72v DBS + Graphene/Carbon Mesh-Network				PSS Drains + ZERO-Tech + 72v DBS + Graphene/Carbon	
Jacket	Blue/Black Braid		Red/Black Braid		Black/Black Braid	
Plug Barrels	Copper-Plated RF-Draining		Silver-Plated RF-Draining			
Plug Contacts	Hanging-Silver over Red-Copper					
Length (Pair)	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
0,5m	2.549,00	3.399,00	4.849,00	5.999,00	7.999,00	9.749,00
0,75m	2.874,00	3.849,00	5.674,00	7.099,00	9.249,00	11.374,00
1m	3.199,00	4.299,00	6.499,00	8.199,00	10.499,00	12.999,00
1,5m	3.849,00	5.199,00	8.149,00	10.399,00	12.999,00	16.249,00
2m	4.499,00	6.099,00	9.799,00	12.599,00	15.499,00	19.499,00
2,5m	5.149,00	6.999,00	11.449,00	14.799,00	17.999,00	22.749,00
3m	5.799,00	7.899,00	13.099,00	16.999,00	20.499,00	25.999,00
4m	7.099,00	9.699,00	16.399,00	21.399,00	25.499,00	32.499,00
5m	8.399,00	11.499,00	19.699,00	25.799,00	30.499,00	38.999,00
6m	9.699,00	13.299,00	22.999,00	30.199,00	35.499,00	45.499,00
Other prepared lengths, use formula:	1.300,00/pair m + 1.899,00/pair	1.800,00/pair m + 2.499,00/pair	3.300,00/pair m + 3.199,00/pair	4.400,00/pair m + 3.799,00/pair	5.000,00/pair m + 5.499,00/pair	6.500,00/pair m + 6.499,00/pair

*ZERO-Tech Cables do not work as turntable cables with moving coil cartridges.

2024 Maio

Audio Interconnect Accessories

Imacustica
desde 1986



FLX-Mini Splitter

3,5mm Mini Male Stereo >
(2) 3,5mm Female Stereo

Metal: Solid Perfect-Surface
Copper+ (PSC+)

Length: 15cm

Euro Retail: 29,95



FLX-Mini/RCA Adaptor

3,5mm Mini Male Stereo <>
2 Female RCA (L & R)

Metal: Solid Perfect-Surface
Copper+ (PSC+)

Length: 15cm

Euro Retail: 29,95



Hard Mini/RCA Adaptor

Hard Mini 3,5mm Male <>
2 Female RCA (L & R)

Euro Retail: 19,95



FLX-X RCA Splitter

RCA Male >
2 Female RCA (L & R)

Metal: Solid Long-Grain
Copper (LGC)

Length: 15cm

Euro Retail: 26,95



FLX-X RCA Splitter

RCA Female >
2 Male (L & R)

Metal: Solid Long-Grain
Copper (LGC)

Length: 15cm

Euro Retail: 26,95



M21F-90 Adaptor

Female RCA to Right Angle
Male RCA

Euro Retail: 12,95



Hard RCA Splitter

Male RCA > 2 Female RCA

Euro Retail: 24,95



RCA - RCA Coupler

Female RCA <> Female RCA

Euro Retail: 13,95



PreAmp Jumpers

Solid Perfect-Surface Copper+ (PSC+) conductors in Polyethylene Air-Tubes. Replaces factory fitted "U" jumpers on integrated amps and receivers.

Euro Retail: 54,95

Subwoofer Cables



Model	Black Lab	Greyhound	Irish Red	Boxer	Husky	
					RCA ● 72v DBS	XLR ● 72v DBS
Metal	Solid Long-Grain Copper (LGC)	0,5% Silver	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver	
Geometry	Symmetrical Coax	HyperLitz Coax	Symmetrical Coax	Double-Balanced	Triple-Balanced	
Dielectric	Foamed-Polyethylene			Polyethylene Air-Tubes		
Noise-Dissipation	Metal-Layer Noise-Dissipation			Carbon-Based Noise-Dissipation	Carbon-Based Multi-Layer Noise-Dissipation	
Jacket	Black with White Stripes CL3/ FT4 Rated PVC	Light Gray-Striped White CL3/FT4 Rated PVC	Up to 5m: Red/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Red Stripes	Up to 5m: Brown/Black Braid 8m and Longer CL3/FT4 Rated: Black PVC with Brown Stripes	Blue/Black Braid or CL3/FT4 Rated Black PVC with Blue Stripes (Any Length)	
Termination	Cold-Welded, Gold-Plated			Cold-Welded, Hanging-Silver directly over pure Red Copper		
Application - Attached Chassis-Ground Connector						
RCA - RCA	Yes					
RCA/XLR Mixed	No			Yes		
Meters	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
2m	56,95	74,95	103,00	209,00	459,00	499,00
3m	65,95	84,95	115,00	239,00	539,00	579,00
5m	83,95	104,95	139,00	299,00	699,00	739,00
8m	110,95	134,95	175,00	389,00	939,00	979,00
12m	146,95	174,95	223,00	509,00	1.259,00	1.299,00
16m	182,95	214,95	271,00	629,00	1.579,00	1.619,00
20m	218,95	254,95	319,00	749,00	1.899,00	1.939,00
Other prepared lengths use formula:	-	-	-	-	80,00/m + 299,00	80,00/m + 339,00

Note: Greyhound is optimized for custom-installation projects that require its thin, discreet design. It does not include a chassis-ground connector.

Esta tabela anula as anteriores e pode ser alterada sem aviso prévio. IVA incluído à taxa legal em vigor.



Tonearm Cables



Model	Golden Gate	Yosemite ● 72v DBS	Angel ● 72v DBS	WEL Signature Limited Edition ● 72v DBS
Metal	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)	
Dielectric	Foamed-Polyethylene	FEP Air-Tubes		
Noise-Dissipation	N/A	Carbon-Based Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
Capacitance	Less than 90pF/1,5M			
Jacket	Red/Black Braid	Green/Black Braid	Silver/Black Braid	Gray/Black Braid
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail
1,2m	-	549,00	1.299,00	2.499,00
1,5m	159,00			
Other prepared lengths use formula:	-	120,00/m + 405,00	500,00/m + 699,00	750,00/m + 1.599,00

Turntable Cables



Model	Golden Gate	Yosemite ● 72v DBS	Angel ● 72v DBS	WEL Signature Limited Edition ● 72v DBS
Metal	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)	Solid Perfect-Surface Silver (PSS)	
Dielectric	Foamed-Polyethylene	FEP Air-Tubes		
Noise-Dissipation	N/A	Carbon-Based Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
Capacitance	Less than 90pF/1.5M			
Jacket	Red/Black Braid	Green/Black Braid	Silver/Black Braid	Gray/Black Braid
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail
1,2m	-	549,00	1.299,00	2.499,00
1,5m	149,00	-	-	-



Vinyl and Headphone Accessories

GroundGoody Tonearm & Ground Wires

Unlike other ground wires that act as radio-frequency antennas, Black Hole, ThunderBird and Dragon GroundGoody's prevent hum while efficiently dissipating radio-frequency noise. GroundGoody's use premium conductor materials that are controlled for direction and cold-welded to Direct-Silver Plated #10 size spade lugs. Further, AudioQuest's RF/ND-Tech dissipates and cancels most induced radio-frequency noise.



Black Hole GroundGoody

Solid 6% Silver + Carbon RF Trap

Meters	EU Retail
0,75m	59,00
1,5m	69,00
2,25m	79,00
3m	89,00
5m	109,00



ThunderBird GroundGoody

Solid 6% Silver + RF/ND-Tech

Meters	EU Retail
0,6m	119,00
1m	139,00
1,5m	159,00
2m	179,00
3m	219,00



Dragon GroundGoody

Solid Perfect-Surface Silver + RF/ND-Tech

Meters	EU Retail
0,6m	449,00
1m	599,00
1,5m	799,00
2m	999,00
3m	1.399,00



Silver Anti-Static Record Brush

1,086,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip

EU Retail: 19,95



Gold Anti-Static Record Brush

1,248,000 Highly Conductive Carbon Fibers with No-Resistance Path to Finger-Grip

EU Retail: 29,95



HL-5 Headshell Leads

Silk-wrapped Linear-Crystal Copper Litz Conductors

Set of 4

EU Retail: 69,95



NightBird Headphone Cable

- Fits NightHawk and NightOwl Headphones
- Perfect-Surface Copper+ (PSC+)
- Noise-Dissipation
- Robust: Tested to 28,000 bends

Meters	EU Retail
2m	109,00
3m	139,00
4m	169,00



Perch Headphone Stand

- Easily and safely accommodates all headphones
- High-quality materials
- Heavy base provides stability

EU Retail: 99,00

HDMI: 0,75m–5m Cables

18Gbps 4K and 48Gbps 8K-10K

- All models use Solid Signal and Ground-Reference Conductors.
- All 19 conductors (A/V, eARC, Ground-Reference Drains, Control, Power) are Direction-Controlled.
- AudioQuest "48" HDMI cables have the bandwidth required for video with resolutions up to 10K, resolutions/refresh rates up to 8K/60 and 4K/120.
- For long-length models (Pearl 18, Forest 18, Root Beer 18, Cherry Cola 18, and Cherry Cola 48), see page 39.

BlueBerry 18, Pearl 48, Forest 48, and Cinnamon 48 available in Installer 5-Packs, page 61.



Model	BlueBerry 18	Pearl 48	Forest 48	Cinnamon 48	Carbon 48	Vodka 48	ThunderBird 48	FireBird 48 ● 72v DBS	Dragon 48 ● 72v DBS
A/V Conductor	Solid Long-Grain Copper (LGC)		0,5% Silver	1,25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver	100% PSS Silver
eARC Conductor	Solid Long-Grain Copper (LGC)		0,5% Silver	1,25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver	100% PSS Silver
Ground Reference	Tinned Copper			0,5% Silver	1,25% Silver	5% Silver	10% Silver	10% Silver	100% PSS Silver
Noise-Dissipation	All 19 Conductors Direction-Controlled			Carbon + Metal + Direction	Carbon + Metal + Direction	Carbon + Metal + Direction	Graphene + Global Carbon + Direction	72v DBS, Graphene + Global Carbon + Direction	
Jacket 0,6-2m	CMG (CL3/FT4) PVC			Red Braid	Carbon Braid	Blue Braid	Blue Braid	Red Braid	Black Braid
Jacket 3m	CMG (CL3/FT4) PVC			Red Braid or PVC	Carbon Braid	Blue Braid	Blue Braid	Red Braid	Black Braid
Jacket 5m	CMG (CL3/FT4) PVC			-	-	-	-	-	-
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
0,6m	29,95	39,95	69,00	139,00	179,00	449,00	759,00	1.599,00	2.299,00
1m	34,95	44,95	79,00	159,00	199,00	519,00	899,00	1.799,00	2.699,00
1,5m	39,95	49,95	99,00	179,00	249,00	599,00	1.049,00	2.049,00	3.199,00
2m	44,95	59,95	119,00	199,00	299,00	679,00	1.199,00	2.399,00	3.699,00
3m	59,95	79,95	159,00	269,00	399,00	839,00	1.499,00	3.199,00	4.699,00
5m	99,95	199,95	299,00	449,00	-	-	-	-	-

HDMI: Long-Length Cables

18Gbps 4K and 48Gbps 8K-10K

- Pearl 18 and Forest 18 employ active frequency equalization to enable 18Gbps performance for lengths up to 15m.
- Root Beer 18 active optical cable provides 18Gbps performance for lengths up to 30m.
- Certified Ultra High Speed by HDMI Licensing, Cherry Cola 48 active optical cables provide 48Gbps performance for lengths up to 15m.



Model	Pearl 18 Long Distance	Forest 18 Long Distance	Root Beer 18 Optical	Cherry Cola 48 Optical
A/V Conductor	LGC	0,5% Silver	Quartz-Glass	
eARC Conductor	LGC	0,5% Silver	LGC	0,5% Silver
Ground Reference	Tinned Copper			0,5% Silver
Noise-Dissipation	All 19 Conductors Direction-Controlled		Galvanic Isolation + Direction	Carbon + Galvanic Isolation
Jacket	CMG (CL3/FT4) PVC			
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail
5m	-	-	469,00	999,00
7,5m	239,00	369,00	-	-
10m	289,00	459,00	549,00	1.099,00
12,5m	359,00	549,00	-	-
15m	469,00	-	619,00	1.199,00
20m	-	-	679,00	-
25m	-	-	739,00	-
30m	-	-	819,00	-

HDMI: eARC-Priority Cables

48Gbps 8K-10K

- When using a TV's eARC/ARC output as the audio source to a soundbar or an A/V receiver or an amplifier's ARC input, eARC-Priority models offer their namesake models ARC performance for less than half the price of the namesake model. This is possible because the cables' unused A/V data pairs "only" offer better-than-Cinnamon 48 performance.



Model	Vodka eARC Priority 48	ThunderBird eARC Priority 48	Dragon eARC Priority 48 ● 72v DBS
A/V Conductor	0,5% Silver		
eARC Conductor	10% Silver		100% PSS Silver
Ground Reference	5% Silver eARC	10% Silver eARC	100% PSS Silver eARC
Noise-Dissipation	Carbon + Metal + Direction	Graphene + Global Carbon + Direction	72v DBS, Graphene + Global Carbon + Direction
Jacket 0,75-2m	Blue Braid	Blue Braid	Black Braid
Jacket 3.0m	CMG (CL3/FT4) PVC		
Length	Euro Retail	Euro Retail	Euro Retail
0,6m	219,00	459,00	1.099,00
1m	239,00	499,00	1.199,00
1,5m	269,00	549,00	1.399,00
2m	299,00	599,00	1.599,00
3m	369,00	699,00	1.999,00

HDMI Accessories

Certain HDMI Adaptors available in Installer 5-Packs, page 61.



HDMI 90°/W Adaptor

Wide Side [W]
Right Angle Bend

Euro Retail: 19,95



HDMI 90°/N Adaptor

Narrow Side [N]
Right Angle Bend

Euro Retail: 19,95



HDMI 90° NU/R Flat Adaptor

Narrow Up [NU]
Bends Right

Euro Retail: 19,95



HDMI 90° NU/L Flat Adaptor

Narrow Up [NU]
Bends Left

Euro Retail: 19,95



HDMI A ↔ A Coupler

Female HDMI to Female
HDMI

Euro Retail: 19,95



Mini Display Port to HDMI 4K Adaptor

Euro Retail: 39,95



DVI-IN > HDMI-OUT Adaptor

F-DVI to M-HDMI

Euro Retail: 39,95

audioquest.






USB Cables

All USB A - C, USB C - B, USB C - C, Micro B, and Lightning cables are available in 0,75m and 1,5m lengths only.
For optimal sonic performance, all AudioQuest USB cables are Hi-Speed with a maximum signaling rate of 480Mbps.



Model	Pearl	Forest	Cinnamon	Carbon	Coffee ● 72v DBS	Diamond ● 72v DBS
Metal (USB A-B)	Solid Long-Grain Copper (LGC)	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
Metal (All Other Versions)	Long-Grain Copper (LGC) Semi-Solid Concentric	0,5% Silver Semi-Solid Concentric	1,25% Silver Semi-Solid Concentric	5% Silver Semi-Solid Concentric	N/A	Solid 100% Perfect-Surface Silver (PSS)
Dielectric	Hard-Cell Foam					
Noise-Dissipation	Metal-Layer Noise-Dissipation			Carbon-Based Noise-Dissipation for USB A - B		
Jacket	Black PVC with White Stripes	Black PVC with Green Stripes	USB A-B: Red/Black Braid All others: Black PVC with Red Stripes	Gray/Black Braid	Brown/Black Braid	USB A-B: Silver/Black Braid All others: Black PVC with Silver Stripes
Available Configurations	USB A - B USB A - Micro B	USB A - B USB A - C USB A - Micro B 2.0 USB A - Lightning USB C - B USB C - C USB C - Lightning	USB A - B USB A - C USB A - Micro B 2.0 USB A - Lightning USB C - B USB C - C USB C - Lightning	USB A - B USB A - C USB A - Micro B 2.0 USB A - Lightning USB C - B USB C - C USB C - Lightning	USB A - B	USB A - B USB A - C USB A - Micro B 2.0 USB A - Lightning USB C - B USB C - C USB C - Lightning
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
0,75m	39,95	79,00	109,00	199,00	439,00	769,00
1,5m	49,95	99,00	139,00	249,00	529,00	929,00
3m	69,95 (A-B Only)	119,00 (A-B Only)	179,00 (A-B Only)	349,00 (A-B Only)	769,00	1.259,00 (A-B Only)
5m	99,95 (A-B Only)	159,00 (A-B Only)	239,00 (A-B Only)	499,00 (A-B Only)	979,00	1.699,00 (A-B Only)

USB Connector Applications

USB A	USB B	USB C	Micro B 2.0	Lightning
 <p>For all devices that use the original USB connection.</p>	 <p>Typically for use with computer peripherals, such as hard drives and network devices, as well as digital-audio components, including DACs and streamers.</p>	 <p>Typically for use with newer devices, including desktops, laptops, smartphones, tablets, game consoles, hard drives, and more.</p>	 <p>Typically for use with compact and mobile devices, including Android smartphones and computer peripherals.</p>	 <p>For use with Apple devices, including iPhones and iPads.</p>



audioquest.

USB Accessories



USB 3.1 Gen 2 C → A Adaptor

Euro Retail: 24,95



USB B ↔ Micro B 2.0 Adaptor

Euro Retail: 19,95



USB Mini B ↔ Micro B 2.0 Adaptor

Euro Retail: 17,95



JitterBug FMJ

USB 2.0 Noise Filter (Data & Power)



Euro Retail: 69,00





Optical Cables

Pearl, Forest, and Cinnamon available in Installer 5-Packs, page 60.



Model	Pearl	Forest	Cinnamon	Carbon	Vodka
Conductors	Low-Dispersion Fiber	Low-Dispersion High-Purity Fiber	Lower-Dispersion Highest-Purity Fiber	19 Narrow-Aperture Highest-Purity Synthetic Fibers	217 Narrowest-Aperture Highest-Purity Synthetic Fibers
Jacket	Black with Gray Stripes In-Wall Rated PVC	0,75m and 1,5m: Green/Black Braid 3m and Longer: In-Wall Rated PVC	0,75m and 1,5m: Red/Black Braid 3m and Longer: In-Wall Rated PVC	0,75m to 5m: Gray/Black Braid 8m and Longer: In-Wall Rated PVC	0,75m to 5m: Blue/Black Braid 8m and Longer: In-Wall Rated PVC
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
0,75m	34,95	54,95	79,00	139,00	269,00
1,5m	39,95	64,95	99,00	189,00	349,00
3m	59,95	99,95	149,00	269,00	549,00
5m	79,95	139,95	199,00	379,00	749,00
8m	109,95	199,95	299,00	549,00	1.099,00
12m	149,95	279,95	429,00	749,00	1.499,00
16m	189,95	359,95	549,00	949,00	1.799,00

Pearl available in both 3,5mm Mini to Full-Size, and Full-Size to Full-Size.
Forest, Cinnamon, Carbon, and Vodka come in Full-Size to Full-Size with 3,5mm Mini Adaptor included.

Optical Accessory



Optical Mini Adaptor

Euro Retail: 17,95

2024 Maio

Digital Coax Cables

Forest available in Installer 5-Packs, page 61.



RCA > BNC

Recommended for Forest through Diamond.
Fully acceptable for Wild and WEL when BNC needed only on one end, or to keep an RCA/RCA cable universally useful.

Euro Retail: 19,95



Model	Forest	Cinnamon	Carbon	Coffee ● 72v DBS	Diamond ● 72v DBS	Wild	WEL Signature
Metal	Solid 0,5% Silver	Solid 1,25% Silver	Solid 5% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)		
Gauge	24 AWG			21 AWG			
Dielectric	Hard-Cell Foam						
Noise-Dissipation	Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation			Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption	Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption
Jacket	Black PVC with Green Stripes	Red/Black Braid	Black/Dark Gray Braid	Brown/Black Braid	Silver/Black Braid	Navy Blue Braid	Black Braid
Terminations	Cold-Welded, Gold-Plated		Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Cold-Welded, Hanging-Silver Directly Over Pure Red Copper		Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper	
Shield	Foil + Tinned Braid	Foil + Silver-Plated Braid		Silver-Plated Braid		Copper Foil + 100% PSS-Silver Spiral	
Application							
RCA	Yes						
BNC	No (Requires Female RCA to Male BNC adaptor)					Yes	
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
0,75m	44,95	89,00	249,00	649,00	1.219,00	2.500,00	3.900,00
1m	-	-	269,00	699,00	1.399,00	2.750,00	4.300,00
1,5m	54,95	109,00	309,00	799,00	1.749,00	3.250,00	5.100,00
2m	-	-	349,00	899,00	2.099,00	3.750,00	5.900,00
3m	74,95	149,00	429,00	1.099,00	2.799,00	4.750,00	7.500,00
5m	99,95	199,00	589,00	1.499,00	4.199,00	6.750,00	10.700,00
Other prepared lengths use formula:	-	-	80,00/m + 189,00	200,00/m + 499,00	700,00/m + 699,00	1.000,00/m + 1.750,00	1.600,00/m + 2.700,00

Imacustica
desde 1986

audioquest.

AES/EBU (Balanced) Cables



 audioquest.

Model	Carbon	Wild ● 72v DBS	WEL Signature ● 72v DBS
Metal	Solid 5% Silver	Solid 100% Perfect-Surface Silver (PSS)	
Gauge	0,2mm ²	0,41mm ²	
Dielectric		Hard-Cell Foam	
Noise-Dissipation	Carbon-Based Multi-Layer Noise-Dissipation	Carbon-Based Multi-Layer Noise-Dissipation, 2 x EMI Absorption	Carbon-Based Multi-Layer Noise-Dissipation, 3 x EMI Absorption
Jacket	Dark Gray/Black Braid	Navy Blue Braid	Black Braid
Termination	Cold-Welded, Hanging-Silver Directly Over Pure Purple Copper	Cold-Welded, Hanging-Silver Directly Over Machined Pure Red Copper	
Shield	Foil + Tinned Braid	Foil + Silver-Plated Spiral	
Length	Euro Retail	Euro Retail	Euro Retail
0,75m	289,00	2.900,00	4.900,00
1m	319,00	3.200,00	5.400,00
1,5m	379,00	3.800,00	6.400,00
2m	439,00	4.400,00	7.400,00
3m	559,00	5.600,00	9.400,00
5m	799,00	8.000,00	13.400,00
Other prepared lengths use formula:	120,00/m + 199,00	1.200,00/m + 2.000,00	2.000,00/m + 3.400,00

Ethernet Cables (RJ/E)

Pearl, Forest and Cinnamon available in Installer 5-Packs, page 61.




Model	Pearl	Forest	Cinnamon	Vodka	Diamond 72v DBS
Metal	Solid Long-Grain Copper (LGC)	Solid 0,5% Silver	Solid 1,25% Silver	Solid 10% Silver	Solid 100% Perfect-Surface Silver (PSS)
Dielectric	Geometry Stabilizing Solid High-Density Polyethylene				
Noise-Dissipation	Direction-Controlled Conductors			Carbon-Based Noise-Dissipation	
Jacket	CMG (CL3 & FT4) Rated Black PVC with Gray Stripes	CMG (CL3 & FT4) Rated Black PVC with Green Stripes	Up to 3,0m: Red/Black Braid 5,0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Red Stripes	Up to 3,0m: Blue/Black Braid 5,0m and Longer: CMG (CL3 & FT4) Rated Black PVC with Blue Stripes	Silver/Black Braid
Termination	Gold-Plated Nickel Connectors with 100% Shield Coverage			Precision-Made Low-Loss Ultra-Wide Bandwidth Telegärtner Connectors with 100% Shield Coverage and Strain Relief	
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
0,75m	39,95	79,00	119,00	549,00	1.399,00
1,5m	59,95	99,00	139,00	699,00	2.199,00
3m	79,95	129,00	179,00	949,00	3.699,00
5m	119,95	169,00	239,00	1.349,00	5.399,00
8m	169,95	239,00	329,00	1.999,00	8.699,00
12m	229,95	329,00	449,00	2.749,00	12.999,00

Accessories



Level-X DBS Pack 72v + Noise-Dissipation

- Niagara Custom-Built Noise-Trap Dissipates RF Noise
- 72v Dielectric-Bias System Reduces Dielectric-Noise

Euro Retail Each: 139,00



SorboGel Q-Foot System

Set of 4 energy-absorbing feet each with a "tray" which improves performance and protects furniture. Each foot supports up to 4 kg.

Euro Retail: 159,00



Fog Lifters

For use with audio and AC power cables, Fog Lifters reduce the RF noise that capacitively couples into cables through all solid materials (carpet, stone, wood, etc.)

Set of 8 Euro Retail: 159,00



Cable Clips

Fast and easy way to hold AudioQuest's largest cables in place.

AC Power Cables:

- Thunder, Tornado, Hurricane, FireBird, Dragon

Speaker Cables:

- Robin Hood, William Tell
- ThunderBird, FireBird, Dragon

Interconnect Cables (RCA and XLR):

- ThunderBird, FireBird, Dragon

Set of 6 Euro Retail: 10,00



CleanScreen Kit

150 ml. Bottle + 10 ml. Spray + Retractable Brush

Euro Retail: 29,95



Sorbothane Self-Stick Sheet

15,24cm x 15,24cm x 0,25cm sheet can be cut to size to damp anything, especially effective on top surface of speaker stands.

Euro Retail: 54,95



Binding-Post Wrench

Real tool-quality double-ended nut driver with metal inserts.

Fits 11,1 mm and 12,7mm binding posts.

Euro Retail: 19,95

Accessories



RCA \leftrightarrow BNC Adaptor
Female RCA to/from Male BNC

Euro Retail: 19,95



F > RCA Male Adaptor
Female RCA to Male RCA

Euro Retail: 12,95



F > BNC Male Adaptor
75Ω

Euro Retail: 19,95



F > 2F Splitter
3GHz 75Ω

Euro Retail: 19,95



F > 4F Splitter
3GHz 75Ω

Euro Retail: 25,95




F \leftrightarrow F
75Ω Coupler

Euro Retail: 8,95



F-90°
Male \leftrightarrow Female Adaptor

Euro Retail: 12,95



Antenna 90°
Male \leftrightarrow Female Adaptor

Euro Retail: 9,95

Antenna Cable



Model	Antenna HD6 Forest
Conductor	Solid 0,5% Silver
Shield	3-Layer Shield: Foil + 90% Braid + Foil
Jacket	Dark Gray with Green Stripes
Application	
Male Coax - Male Coax	Yes
Male Coax - Female Coax	Yes
Female Coax - Female Coax	Yes
F - F	Yes
Length	Euro Retail
1,5m	50,00
3m	65,00
4,5m	80,00

Accessories

RCA-300

Fits cables up to 7,0mm O.D.
Gold-Plated. Requires soldering.



#300 Male
Set of 4

Euro Retail: 60,00

#300 Female
Set of 4

Euro Retail: 60,00

RCA-800

Fits cables up to 9,0mm O.D.
Direct-Silver Plated. Requires soldering.



#800 Male
Set of 4

Euro Retail: 80,00

XLR Connectors

Fits cables up to 9,0mm O.D.
Direct-Silver Plated. Requires soldering.



#81 Male
Pair

Euro Retail: 120,00

#80 Female
Pair

Euro Retail: 120,00

Right-Angle F and RCA Plugs

Fits cables up to 7,5mm O.D.
Gold-Plated. Requires soldering.



F-90°
Pair

Euro Retail: 50,00

RCA-90°
Pair

Euro Retail: 50,00

audioquest.

Accessories



RJ45 Noise-Stopper Caps
AQ Noise-Stopper Caps fit over unused RJ45 inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

Set of 4
Euro Retail: 34,95



USB-A Noise-Stopper Caps
AQ Noise-Stopper Caps fit over unused USB inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

Set of 4
Euro Retail: 34,95



HDMI Noise-Stopper Caps
AQ Noise-Stopper Caps fit over unused HDMI inputs or outputs, preventing RFI and EMI noise from entering the active circuit. Noise-Stopper Caps also protect against dust and corrosion.

Set of 4
Euro Retail: 34,95



XLR Input (Female) Noise-Stopper Caps
Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

Euro Retail per Pair: 44,95



XLR Output (Male) Noise-Stopper Caps
Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

Euro Retail per Pair: 44,95



RCA Noise-Stopper Caps
Blocks a significant path for incoming high-frequency energy to interfere with circuit performance.

Set of 10
Euro Retail: 54,95

Tools

All the Tools necessary to Cut, Strip, Prepare, and Terminate any AudioQuest Cable




	<p>Cat6/6a/7 Crimper Tool and Die Includes Cat6 and Cat 7 Die</p>		<p>Rivers Interconnect Crimper Tool Use with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.</p>
	<p>Cat6 Die Also sold separately</p>		<p>Klein Crimper Tool For connectors up to 10 AWG</p>

<p>Klein Cable Cutter</p>	<p>Wire Stripper/Cutter/Plier Combo Tool</p>
<p>Ideal Articulated Stripper For 8-22 AWG Conductors</p>	<p>Paladin Jacket Stripper Cleanly and easily removes the jacket on all AudioQuest Interconnect and Speaker Cables</p>

	<p>AQ Silver Solder Easy to use. Clearly sounds better.</p> <p>454g Solder Euro Retail: 350,00</p> <p>113.5g Solder Euro Retail: 100,00</p>
--	--

Instant Tool-less Connectors (ITC) for Analog-Audio, Mini-Coax, and RG6 Cables on Spools



ITC One-Step Stripper for 18 and 24 AWG

For HD6, ITA, and ITV Cables

Euro Retail: 10,00

18 AWG Connectors and Cables for Video, RF, Digital, Subwoofer



ITC-18G
RCA
Euro Retail
per piece:
3,75

Supplied in
bags of 50



ITC-18G
F
Euro Retail
per piece:
3,00

Supplied in
bags of 50



ITC-18G
BNC
Euro Retail
per piece:
5,50

Supplied in
bags of 50



ITC-18G
EU Coax M
Euro Retail
per piece:
3,50

Supplied in
bags of 50



ITC-18G
EU Coax F
Euro Retail
per piece:
3,50

Supplied in
bags of 50

	HD6 Pearl	HD6 Forest	HD6 Carbon
Metal	Solid Conductive-Coated Copper	Solid 0,5% Silver	Solid 5% Silver
Shield	3-Layer Shield: Foil + 90% Braid + Foil		4-Layer Shield: Carbon-Loaded PE + Foil + 90% Braid + Foil
CL3 Jacket Color Choices	Dark Gray or White Stripes	Gray, Green or White Stripes	Black, Gray, or White Stripes
Length	Euro Retail	Euro Retail	Euro Retail
76m Spool	-	-	20,00/m
152m Spool	6,50/m	10,00/m	-

24 AWG Connectors and Cables for Analog-Audio and Video



ITC-24G
RCA
Euro Retail
per piece:
3,75

Supplied in
bags of 50



ITC-24G
F
Euro Retail
per piece:
3,75

Supplied in
bags of 50



ITC-24G
BNC
Euro Retail
per piece:
5,50

Supplied in
bags of 50

	ITA-1/1	ITA-3/3	ITA-5/5
Audio			
Center Conductor Metal	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Neg. Conductor/Shield	LGC HyperLitz	PSC HyperLitz	PSC+ HyperLitz
CL3 Jacket	Blue (Pair)	Green (Pair)	Dark Gray (Pair)
Length	Euro Retail	Euro Retail	Euro Retail
15m Spool	12,50/m	-	-
76m Spool	12,50/m	20,00/m	30,00/m
152m Spool	12,50/m	-	-

Color Bands for 18 and 24 AWG ITC Connectors

Silicon rubber bands fit all ITC connectors—even after they're attached to the cable—for easy cable identification. Available in bags of 20. One color per bag - no mixed colors. Available in 10 colors.

Bag of 20
Euro Retail:
17,50



CL3/FT4 In-Wall Rated Bulk Speaker Cables

16/2 + 14/2 16/4 + 14/4



Model	SLiP-DB 16/2	SLiP-DB 16/4	SLiP-DB 14/2	SLiP-DB 14/4	SLiP XTRM 14/2	SLiP XTRM 14/4	SLiP-LSZH 16/2	SLiP-LSZH 14/2
Metal	Semi-Solid Concentric LGC				Semi-Solid True Concentric PSC and LGC		Semi-Solid Concentric LGC	
Gauge	2 x 1,31mm ²	4 x 1,31mm ²	2 x 2,08mm ²	4 x 2,08mm ²	2 x 2,08mm ²	4 x 2,08mm ²	2 x 1,31mm ²	2 x 2,08mm ²
Jacket	White PVC with Silver Stripes or Gray PVC with Red Stripes				Dark Gray PVC with Blue Stripes		LSZH (Low Smoke Zero Halogen) White PVC with Silver Stripes	
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
50m Spool	-	-	-	-	30,00/m	-	-	-
100m Spool	-	-	-	-	30,00/m	55,00/m	-	-
152m Spool	6,50/m	10,00/m	9,00/m	14,00/m	-	-	9,75/m	12,50/m




Model	Type 5	Rocket 11	Rocket 22	Rocket 33	Rocket 44	Rocket 88
Metal	Solid PSC+ Sonic-Signature Conductors and LGC	Semi-Solid Concentric LGC	Semi-Solid Concentric PSC and LGC	Solid PSC and LGC	Solid PSC+ and PSC	Solid PSC+
Gauge	1,65mm ²	2,08mm ²	3,31mm ²	2,08mm ²	2,63mm ²	
Geometry	Star-Quad	Double-Spiral		Double Star-Quad		
Dielectric	N/A	PVC		Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation	Carbon-Based Noise-Dissipation	Non	Carbon-Based Noise-Dissipation			
Jacket	Red Striped PVC	Black or White PVC	Black or White PVC	Black PVC with Red Stripes	Black PVC with Gloss Black Matte Stripes	Black PVC with Green Stripes
Single BiWire Capable	N/A	Yes				
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
50m Spool	-	20,00/m	50,00/m	70,00/m	100,00/m	130,00/m
100m Spool	30,00/m	20,00/m	50,00/m	70,00/m	-	-

Termination "Pants" available for Type 5, Rocket 11/22/33/44/88, page 57.

Bulk Speaker Cables – Not In-Wall Rated



Model	G2	X2	Q2
Metal	Semi-Solid Concentric Long-Grain Copper (LGC)		
Gauge	1,31mm ²	2,08mm ²	1,65mm ²
Jacket	Dark Gray PVC or Off-White PVC	Dark Gray PVC or Off-White PVC	Black PVC or White PVC
Length	Euro Retail	Euro Retail	Euro Retail
10m - White Only	70,00	-	-
30m Pack - White Only	210,00	250,00	-
100m spool	7,00/m	10,00/m	16,50/m

Note: For 100m spools, retail price per meter is listed. Other packaged lengths are shown with retail price per pack.



Model	Rocket 33	Rocket 44	Rocket 88
Metal	Solid Perfect-Surface Copper (PSC) and Long-Grain Copper (LGC)	Solid Perfect-Surface Copper+ (PSC+) and Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Gauge	2,08mm ²	2,63mm ²	
Geometry	Double Star-Quad		
Dielectric	Foamed-Polyethylene (For All Positive Conductors)		
Noise-Dissipation	Carbon-Based Noise-Dissipation		
Jacket	Red/Black Braid	Silver/Black Braid	Green/Black Braid
Single BiWire Capable	Yes		
Length	Euro Retail	Euro Retail	Euro Retail
50m Spool	70,00/m	100,00/m	130,00/m
100m Spool	70,00/m	-	-

Termination "Pants" available for Type 5, Rocket 33/44/88, page 57.

2024 Maio

SureGrip® Speaker Connectors

Fits up to 6,63mm² Speaker Cables



SureGrip® 100 Banana

Direct-Silver or Gold over Beryllium-Copper

Set of 8

Euro Retail: 60,00

Set of 12

Euro Retail: 90,00

Bag of 80

Euro Retail: 600,00

Bag of 120

Euro Retail: 900,00



SureGrip® 100 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

Set of 8

Euro Retail: 60,00

Set of 12

Euro Retail: 90,00

Bag of 80

Euro Retail: 600,00

Bag of 120

Euro Retail: 900,00



Allen Tool
Included



SureGrip® 300 Banana

Direct-Silver or Gold over Beryllium-Copper

Set of 4

Euro Retail: 60,00

Tray of 40

Euro Retail: 600,00



SureGrip® 300 Multi-Spade

Direct-Silver or Gold Plating over Purple Copper

Set of 4

Euro Retail: 60,00

Tray of 40

Euro Retail: 600,00



Allen Tool
Included



Black
Labels
Included



500 Series Banana or Multi-Spade

Hanging-Silver directly over pure Purple Copper or Hanging-Gold directly over pure Purple Copper. Silver or Gold.

Set of 4

Euro Retail: 129,00

Set of 6

Euro Retail: 195,00



Combination
Allen and
Phillips Tool
Included



1000 Series Banana or Multi-Spade

Hanging-Silver directly over pure Red Copper.

Set of 4

Euro Retail: 219,00

Set of 6










Euro Retail: 329,00



Combination
Allen and
Phillips Tool
Included

Spade, Pin, and Banana Connectors

Supplied with Red and Black "Boots" (except 1002)


 <p>1410/S 1410/G Direct-Silver Plated and Direct-Gold Plated Up to 2,08 mm² 4,76mm Binding Post</p> <p>Set of 4 Euro Retail: 60,00</p>	 <p>1010/S 1010/G Direct-Silver Plated and Direct-Gold Plated Up to 5,26 mm² 4,76mm Binding Post</p> <p>Set of 4 Euro Retail: 80,00</p>	 <p>1414/S 1414/G Direct-Silver Plated and Direct-Gold Plated Up to 2,08 mm² 6,35mm Binding Post</p> <p>Set of 4 Euro Retail: 60,00</p>
 <p>1014/S 1014/G Direct-Silver Plated and Direct-Gold Plated Up to 5,26 mm² 6,35mm Binding Post</p> <p>Set of 4 Euro Retail: 60,00</p>	 <p>1056/S 1056/G Direct-Silver Plated and Direct-Gold Plated Up to 5,26 mm² 7,94mm Binding Post</p> <p>Set of 4 Euro Retail: 60,00</p>	 <p>P10M/S P10M/G Hanging-Silver and Hanging Gold Up to 5,26 mm² 6,35mm and 7,94mm Binding Post</p> <p>Set of 4 Euro Retail: 50,00</p>
 <p>BP10/S BP10/G Direct-Silver Plated and Direct-Gold Plated Up to 5,26 mm² Bendable Pin Fits Almost Everything</p> <p>Set of 4 Euro Retail: 40,00</p>	 <p>Crimp-BFA/S Crimp-BFA/G Direct-Silver Plated and Direct-Gold Plated Up to 6,63 mm² Standard Banana Jack</p> <p>Set of 4 Euro Retail: 40,00</p>	 <p>1002/S 1002/G Direct-Silver Plated and Direct-Gold Plated Up to 6,63 mm² Standard Banana Jack</p> <p>Set of 4 Euro Retail: 100,00</p>

Termination "Pants" for Speaker Cables



	Full-Range	Single BiWire
Model	Euro Retail	Euro Retail
Rocket 11 Pants set/4	14,95	19,95
Rocket 22 Pants set/4	14,95	19,95
Rocket 33 Pants set/4	14,95	19,95
Rocket 44 Pants set/4	14,95	19,95
Rocket 88 Pants set/4	14,95	19,95
Type 5 Pants set/4	14,95	-

CL3/FT4 In-Wall Rated Bulk Audio Interconnect Cables & Plugs



Model	Chicago	Red River	Mackenzie
Metal	Solid Long-Grain Copper (LGC)	Solid Perfect-Surface Copper (PSC)	Solid Perfect-Surface Copper+ (PSC+)
Geometry	Double-Balanced	Triple-Balanced (Separate Ground-Reference Conductor)	
Dielectric	Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
Noise-Dissipation	Metal-Layer Noise-Dissipation		Carbon-Based Multi-Layer Noise-Dissipation
Jacket	Green/Black Braid or CL3 Black PVC with Green Stripes	Red/Black Braid or CL3 Black PVC with Red Stripes	Brown/Black Braid or CL3 Black PVC with Brown Stripes
Length	Euro Retail	Euro Retail	Euro Retail
50m	-	-	30,00m
100m	10,00/m	20,00/m	-

Note: For spools, retail price per meter is listed.

Field Termination Connectors

To download Chicago, Red River, and Mackenzie cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



Rivers Interconnect Crimper Tool

Required with either AudioQuest Chicago RCA, Red River and Mackenzie RCA or XLR plugs.



Chicago RCA

Gold-Plated

Set of 4

Euro Retail: 89,00



Red River RCA

Gold-Plated

Set of 4

Euro Retail: 89,00



Red River XLR

Gold-Plated

Set of 4

Euro Retail: 169,00



Mackenzie RCA

Hanging-Silver over Purple Copper

Set of 4

Euro Retail: 109,00



Mackenzie XLR

Hanging-Silver over Purple Copper

Set of 4

Euro Retail: 199,00

CL3/FT4 In-Wall Rated Bulk CAT6 and CAT7 Ethernet Cables & Plugs



	CAT 600 DCP	CAT 600 FMJ	CAT 700 Pearl	CAT 700 Forest	CAT 700 Carbon
Metal	Solid Long-Grain Copper (LGC)			Solid 0,5% Silver	Solid 5% Silver
Shield	N/A	Overall Shield		Overall Shield and Individual Pairs	
Gauge	23 AWG				
Dielectric	Solid High-Density Polyethylene			Hard-Cell Foam	
Jacket	CMG (CL3/FT4) Rated White PVC with Black Stripes or Dark Gray PVC with White Stripes	CMG (CL3/FT4) Rated White or Black PVC with Blue Stripes	CMG (CL3/FT4) Rated White or Medium Gray PVC with Yellow PVC	CMG (CL3/FT4) Rated White PVC with Green Stripes	CMG (CL3/FT4) Rated Dark Gray PVC with Black Stripes
Length	Euro Retail	Euro Retail	Euro Retail	Euro Retail	Euro Retail
152m	-	5,00/m	10,00/m	15,00/m	65,00/m
305m	3,75/m	-	-	-	-

Note: For spools, retail price per meter is listed.

CAT6/7 Connectors

To download CAT600 and CAT700 cable termination manuals, go to <https://www.audioquest.com/custom-install/manuals>



Cat6/6a/7 Crimper Tool and Die

Required to terminate our Cat6/7 cables and connectors, includes Cat6 and Cat7 Die.



Cat6 Die
Also sold separately



CAT600 DCP Connectors

Fits **CAT600DCP** cable and **standard unshielded Cat6** cables

Each Euro **Bag of 50**
Retail: 1,75 **Euro Retail: 87,50**



CAT600 FMJ Connectors

Fits **CAT600FMJ, CAT700** and **standard shielded Cat6/Cat7** cables

Each Euro **Bag of 50**
Retail: 3,75 **Euro Retail: 187,50**



CAT700 Connectors

Fits **CAT600FMJ, CAT700** and **standard shielded Cat6/Cat7** cables

Each Euro **Bag of 50**
Retail: 4,00 **Euro Retail: 200,00**



CAT700 Telegärtner Male Connector

Fits all standard Cat6a/Cat7 cables

Each
Euro Retail: 29,50

Installer Packs

Cables and Accessories in Installer-Friendly bags instead of hanging boxes.

Installer Packs provide exactly what you need to get the job done. Each Pack includes a number of high-value, high-performance AudioQuest pieces and comes with convenient integrated labels that you can peel off and place on your invoice. No retail packaging, no garbage in your truck, no excess waste or cost.



Audio Interconnect Cables

Packs of 5



	Tower	Golden Gate	Alpha-Snake
Length	Euro Retail per Cable	Euro Retail per Cable	Euro Retail per Pair
0,5m	-	-	27,95
0,6m	45,95	119,00	-
1m	49,95	129,00	34,95
2m	59,95	149,00	39,95
3m	69,95	169,00	44,95

0,6m available in RCA - RCA only.

1 - 3m available in RCA - RCA, 3,5mm - RCA, 3,5mm - 3,5mm.

Optical Cables

Packs of 5



	Pearl	Forest	Cinnamon
Length	Euro Retail per Cable	Euro Retail per Cable	Euro Retail per Cable
0,75m	34,95	54,95	79,00
1,5m	39,95	64,95	99,00
3m	59,95	99,95	149,00

Available in Full-to-Full configurations only.

Audio Interconnect FLX-X RCA Splitters

Packs of 5



M22F	F22M
Euro Retail Each	Euro Retail Each
24,95	24,95

AC Power C7 90° Adaptors

Packs of 10



E = Equal radius	U = Unequal radius
Euro Retail Each	Euro Retail Each
22,95	22,95

HDMI Cables

Packs of 5




	BlueBerry	Pearl 48	Forest 48
Length	Euro Retail per Cable	Euro Retail per Cable	Euro Retail per Cable
0,6m	29,95	39,95	69,00
1m	34,95	44,95	79,00
1,5m	39,95	49,95	99,00
2m	44,95	59,95	119,00
3m	59,95	79,95	159,00
5m	99,95	199,95	299,00

BlueBerry meets the 18G bandwidth required for video up to 8K/30;
Pearl 48, Forest 48, and Cinnamon 48 extend this capability up to 8K/60 and 4K/120.

HDMI Adaptors

Packs of 5



HDMI 90°/W	HDMI 90°/N	HDMI 90° NU/R	HDMI 90° NU/L	HDMI Coupler
Retail Each	Retail Each	Retail Each	Retail Each	Retail Each
19,95	19,95	19,95	19,95	19,95

Ethernet Cables (RJ/E)

Packs of 5



	Pearl	Forest	Cinnamon
Length	Euro Retail per Cable	Euro Retail per Cable	Euro Retail per Cable
0,75m	39,95	79,00	119,00
1,5m	59,95	99,00	139,00
3m	79,95	119,00	179,00
5m	119,95	169,00	239,00

Digital Coax Cables

Packs of 5



	Forest
Length	Euro Retail per Cable
0,75m	44,95
1,5m	54,95
3m	74,95
5m	99,95